

Healing Hepatitis C with Modern Chinese Medicine

Qingcai Zhang, MD
Sino-Med Institute
420 Lexington Ave, Graybar Bldg
NY NY 10170
(888) 788-4372 (HEPA)
<http://www.dr-zhang.com/>

These products are available locally @ NutritionWise on US-1 in Tequesta Florida

HOW TO TAKE DR. ZHANG'S HERBAL REMEDIES

A1#3 Capsule: One bottle contains 50 capsule. Take 1 capsule, 3 times a day with food or follow health care provider's advice.

CLINICAL USE:

Alicin Capsule: One bottle contains 30 capsules. For prevention. 1 capsule per day. For an infection. 2 to 3 capsules 3 times a day or follow health care provider's advice.

CLINICAL USE:

Anti-Bacterial, Anti-fungal, Anti-protozoal, Anti-mycobacterial, Anti-viral
Cryptosporidiosis

Alicin solution in vial: Every box contains 10 vials. Take one to two vials per day. diluted one vial with at (cast night ounces of water to drink.

CLINICAL USE:

Anti-Bacterial, Anti-fungal, Anti-protozoal, Anti-mycobacterial, Anti-viral
Cryptosporidiosis

Artemisiae Capsules: One bottle contains 30 capsules. Take 1 capsule, 3 times a day.

CLINICAL USE:

Bitter Melon Capsule; 3 caps tid 20" ac

CLINICAL USE:

Improves glycemic control with diabetes, normalizes gluconeogenesis

BM Capsule: One bottle contains 100 capsules. Take 3 capsules, 3 times a day, about 20 minutes before meal. Caution: Pregnant women should not use it.

CLINICAL USE:

Capillaris Combination: Capsule-One bottle contains 100 capsules. Take 4 capsules, 3 times a day.

CLINICAL USE:

Increases bile formation & flow, reduces obstructive jaundice, improves ALT/AST/Alk-
Phos/Bilirubin/Cholestasis

Circulation P Capsule: One bottle contains 45 capsules. Take 1 capsule, 3 times a day, about 20 minutes before meal.

CLINICAL USE:

Circulation Tablet #1: 4 tabs tid with meals

CLINICAL USE:

Normalizes LFT's/shrinks enlarged liver/spleen, promotes resorption of ascites, improves circulation, treats cirrhosis. Steatohepatitis

Circulation Tablet #4;

Copmine Capsules: One bottle contains 60 capsules. Take 2 capsules, twice a day.

CLINICAL USE:

Coptin Capsules: One bottle contains 90 capsules. Take 2 capsules. 3 times a day.

CLINICAL USE:

Anti-infectious (Anti-bacterial, Anti-viral)
Anti-Neoplastic

Cholecystitis, Biliary inflammation
Respiratory infections
NIDDM
Arrhythmias
Htn

Cordyceps Capsule: One bottle contains 90 capsules. "Take 2 capsules. 3 times a day. about 20 minutes before meal.

CLINICAL USE:

Immune enhancement
Anti-Inflammatory
Anti-asthma
HDL elevations/Total cholesterol reduction
Anti-Neoplastic
Improves LFT's/ALT
Ascites reduction/raises albumin, improves cirrhosis, reduces portal htn
Improves stamina
Anti-Viral
Sexual dysfunction
Hyperlipidemia
Htn
Arrhythmia

Gall No. 1 Formula, (R-5001) Capsule: One bottle contains 180 capsules. take 2 capsules. 3 times a day, about 20 minutes before meal.

CLINICAL USE:

Facilitates bile secretion/formation, heals Biliary inflammation, flushes out sandy stones, lowers and normalizes GGT/AlkPhos, Total & Direct Bilirubin, good for obstructive jaundice

Ginkgo Capsules: One bottle contains 60 capsules. Take 1 capsule. twice a day.

CLINICAL USE:

Ginseng and Atractylodes Formula: Capsule--One bottle contains 100 capsules. Take 4 capsules. 3 times a day.

CLINICAL USE:

Improves Digestion, good for anorexia/diarrhea/emaciation, improves intestinal absorption. Good for Gastritis/PUD, Pancreatitis, Nephritis, proteinuria, hepatitis.

GL-2 Capsules: One bottle contains 60 capsules. Take 1 capsule, twice a day, about 20 minutes before meal.

CLINICAL USE:

Glycyrrhizin (GL) Capsule: One bottle contains 60 capsules. Take 1 capsule. twice a day. about 20 minutes before meal.

Caution: Although licorice is a non-toxic herb. but long term use GI. can cause some adverse reactions in about 20% of the patients. The adverse reaction includes edema, blood pressure, raises blood potassium dizziness and fatigued limbs etc. people with hypertension high blood pressure) should not take it These adverse reactions are reversible.

CLINICAL USE:

Anti-viral; Hepatitis ABC
Hepatoprotective
Anti-inflammatory, Anti-allergic

Hepa No. 1A Formula Capsule: One bottle contains 90 capsules. take 2 capsules, 3 times a day, about 20 minutes before meal.

CLINICAL USE:

Hepa No. 2 Formula, Capsule: One bottle contains 180 capsules. Take 2 capsules. 3 times a day, about 20 minutes before meal.

CLINICAL USE:

Lowers/normalizes ALT. Steatohepatitis

Hepa No. 3 Formula, Capsule: one bottle contains 120 capsules. Take 4 capsules. 3 times a day, about 20 minutes before meal.

CLINICAL USE:

Long-term maintenance of ALT stability

Hepa No. 4 Formula, Capsule: One bottle contains 180 capsules. Take 2 capsules, 3 times a day. about 20 minutes before meal.

CLINICAL USE:

HerbSom Capsule: One bottle contains 60 capsules. Take 2 capsules at bedtime.

Caution: Keep out of reach of children. Don't take while driving a car or operating heavy machine

CLINICAL USE:

HerbZac Capsule: One bottle contains 90 capsules. Take 3 capsules, twice a day. (Morning and noon)

CLINICAL USE:

Depression

Hepatoprotective/lowers LFT's

Improved cognition/CNS Excitatory effects relieve fatigue

Antioxidant

Sedation

Ligustirin Capsule: One bottle contains 90 capsules. "take 1 capsule, 3 times a day. about 20 minutes before meal.

CLINICAL USE:

Hepatoprotective; lowers ALT/AST, improves cirrhosis/promotes regeneration, inhibits inflammation & collagen formation/fibrosis

Reverses icterus

Increases liver glycogen

Raises WBC count, promotes lymphoblast cell transformation, Suppresses Ts, increases Th, promotes macrophage phagocytotic activity

Can increase coronary flow

Low toxicity

Chronic fatigue

Milk Thistle P: One bottle contains 90 capsules. Take 1 capsule, 3 times a day. about 20 minutes before meal.

CLINICAL USE:

MVM Liver Special Formula: One bottle contains 120 tablets. Take 2 tablets 2 times a day.

CLINICAL USE:

Olive Leaf. Soak half of the bag (0.5 lb.) in one-gallon water and slowly cook it in a crock-pot, at 175 to 185 degree F for about 12 hours. Filter out the decoction and put it in refrigerator. Drink 3 ounces a time. twice a day between meals. One-pound bag is enough for 30 days supply.

CLINICAL USE:

Antibacterial Elenolic acid, antiviral for herpes/influenza/common cold/HIV

Olivessence Capsule: One bottle contains 60 capsules. Take 1 capsule. twice a day between meals.

CLINICAL USE:

Clears lungs/detoxification

Antiviral (Herpes, Vaccinia, Pseudorabies, Newcastle, CoxsackieA21, Polio 1,2,3, Vesicular stomatitis, Moloney Murine Leukemia, Influenza, Common Cold, HIV)/Antibacterial/AntiProtozoal

OPC: 1 scoopful with two ounces of water or 2 scoopfuls with four ounces of water. Drink the first thing in the morning.

CLINICAL USE:

Puerarin Capsules: One bottle contains 90 capsules. Take 2 capsules. 3 times a day, about 20 minutes before meal.

CLINICAL USE:

Red Peony Capsules: One bottle contains 120 capsules. Take 4 capsules, 3 times a day. about 20 minutes before meal.

CLINICAL USE:

Reduces portal vein pressure, reduced pressure on varices with cirrhosis, treats lung silicosis and reverses pulmonary fibrosis

Rhubarbin Capsules: One bottle contains 50 capsules. Take 2 capsules. 3 times a day. or follows health care provider's advice.

CLINICAL USE:

Antibacterial, Anti-cancer, Immune regulatory, Purgative, Laxative, good for constipation, low toxicity, hemostatic effects for GI tract (GI Bleeding)

R-6532 Capsules: One bottle contains 90 capsules. 1 Take 2 capsules, 3 times a day. about 20 minutes before meal.

CLINICAL USE:

R-788 Capsules: One bottle contains 90 capsules. "Take 3 capsules. 3 times a day. about 20 minutes before meal.

CLINICAL USE:

Sedin Capsule: One bottle contains 90 capsules. Take 1 capsule. 3 times a day. about 20 minutes before meal.

CLINICAL USE:

Three Ginseng Plus Capsules: One bottle contains 60 capsules. Take 2 capsules. twice a day.

CLINICAL USE:

Women's Wellness Capsules: One bottle contains 90 capsules. "Take 2-4 capsules. 3 times a day, about 20 minutes before meal.

CLINICAL USE:

VC Virostatic Formula

CLINICAL USE;

Lowers Hepatitis C viral load

Yunan Paipyao, Capsule: One plate contains 16 capsules. Take 1 capsule. 4 times a day.

CLINICAL USE:

Hemostasis

Anti-neoplastic

Anti-inflammatory

ANTIVIRAL

HC Virostatic

Olive Leaf

Cirrhosis Reversal;

LFT Normalization

HepaFormula2

Immune Regulation

Circulation #1 Tablet

Biliary Facilitation

Gall#1

Microcirculation improvement

Circulation #1